

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Ji Won KIM et al.

Serial No. 09/927,466

Confirm. No.: 6144

Filed: August 13, 2001

For: CONTROL METHOD OF AIR/GAS RATIO IN GAS FURNACE

U.S. Patent and Trademark Office
 2011 South Clark Place
 Customer Window, Mail Stop Non-Fee Amendment
 Crystal Plaza Two, Lobby, Room 1B03
 Arlington, VA 22202

Dear Sir:

Transmitted herewith is an Amendment and/or Reply in the above identified application.

No additional fee is required.
 Also attached:

The fee has been calculated as shown below:

	NO. OF CLAIMS	HIGHEST PREVIOUSLY PAID FOR	EXTRA CLAIMS	RATE	FEE
Total Claims	10	20	0	x \$18 =	0
Independent Claims	2	3	0	x \$86 =	0
If multiple claims newly presented, add \$290.00					
Fee for extension of time					
TOTAL FEE DUE					0

Please charge my Deposit Account No. 16-0607 in the amount of \$. An additional copy of this transmittal sheet is submitted herewith.

A check in the amount of \$ _____ (Check # _____) is attached.

The Commissioner is hereby authorized to charge payment of any fees associated with this communication or credit any overpayment, to Deposit Account No. 16-0607, including any filing fees under 37 C.F.R. 1.16 for presentation of extra claims and any patent application processing fees under 37 C.F.R. 1.17.

Respectfully submitted,
 FLESHNER & KIM, LLP
 Carol L. Drubick
 Registration No. 40,287

P.O. Box 221200
 Chantilly, Virginia 20153-1200
 703 766-3701 CLD/JKM:jlg
 Date: March 17, 2004

Please direct all correspondence to Customer Number 34610

RECEIVED
 MAR 22 2004
 TECHNOLOGY CENTER R3700



Docket No.: K-0307

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of :
Ji Won KIM et al. :
Serial No. 09/927,466 : Group Art Unit: 3749
Confirm. No.: 6144 : Examiner: Carl D. PRICE
Filed: August 13, 2001 : Customer No.: 34610
For: CONTROL METHOD OF AIR/GAS RATIO IN GAS FURNACE

AMENDMENT

U.S. Patent and Trademark Office
2011 South Clark Place
Customer Window, Mail Stop Non-Fee Amendment
Crystal Plaza Two, Lobby, Room 1B03
Arlington, VA 22202

RECEIVED
MAR 22 2004
TECHNOLOGY CENTER R3700

Sir:

In response to the Office Action dated January 9, 2004, please amend the above-identified application as follows:

Amendments to the Abstract are reflected on page 2 of this paper.

Amendments to the Specification begin on page 3 of this paper.

Amendments to the Claims are reflected in the listing of claims which begins on page 4 of this paper.

Remarks/Arguments begin on page 8 of this paper.